

Write your name here

Surname

Other names

Pearson
Edexcel GCE

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--	--

Statistics S2

Advanced/Advanced Subsidiary

Monday 27 June 2016 – Morning
Time: 1 hour 30 minutes

Paper Reference

6684/01

You must have:

Mathematical Formulae and Statistical Tables (Pink)

Total Marks

--

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 75.
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P46674A

©2016 Pearson Education Ltd.

1/1/1



PEARSON

1. A student is investigating the numbers of cherries in a *Rays* fruit cake. A random sample of *Rays* fruit cakes is taken and the results are shown in the table below.

Number of cherries	0	1	2	3	4	5	≥ 6
Frequency	24	37	21	12	4	2	0

(a) Calculate the mean and the variance of these data. (3)

(b) Explain why the results in part (a) suggest that a Poisson distribution may be a suitable model for the number of cherries in a *Rays* fruit cake. (1)

The number of cherries in a *Rays* fruit cake follows a Poisson distribution with mean 1.5
 A *Rays* fruit cake is to be selected at random.

Find the probability that it contains

(c) (i) exactly 2 cherries,
 (ii) at least 1 cherry. (4)

Rays fruit cakes are sold in packets of 5

(d) Show that the probability that there are more than 10 cherries, in total, in a randomly selected packet of *Rays* fruit cakes, is 0.1378 correct to 4 decimal places. (3)

Twelve packets of *Rays* fruit cakes are selected at random.

(e) Find the probability that exactly 3 packets contain more than 10 cherries. (3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 2 continued

Lined area for writing the answer to Question 2.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Q2

--	--

(Total 12 marks)



Leave
blank

Question 3 continued

(Total 6 marks)

Q3

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



5. In a large school, 20% of students own a touch screen laptop. A random sample of n students is chosen from the school. Using a normal approximation, the probability that more than 55 of these n students own a touch screen laptop is 0.0401 correct to 3 significant figures.

Find the value of n .

(8)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 5 continued

A series of horizontal lines for writing answers.

DO NOT WRITE IN THIS AREA



Question 5 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



6. A bag contains a large number of counters with one of the numbers 4, 6 or 8 written on each of them in the ratio 5:3:2 respectively.

A random sample of 2 counters is taken from the bag.

(a) List all the possible samples of size 2 that can be taken. (2)

The random variable M represents the mean value of the 2 counters.

Given that $P(M = 4) = \frac{1}{4}$ and $P(M = 8) = \frac{1}{25}$

(b) find the sampling distribution for M . (5)

A sample of n sets of 2 counters is taken. The random variable Y represents the number of these n sets that have a mean of 8

(c) Calculate the minimum value of n such that $P(Y \geq 1) > 0.9$ (3)

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA



Question 6 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

Leave
blank

Question 6 continued

[Handwritten area with horizontal lines for writing]

(Total 10 marks)

Q6	
-----------	--



